Sun City Lincoln Hill ARC Application Checklist

Handrails

Checklist 18

Decorative handrails are permitted in all yards on one (1) side of steps or driveway.

This Checklist is for GUIDANCE ONLY, please refer to the CC&Rs and the Design Guidelines for all other specific requirements relating to your project. OWNER CHECKBOXES (Must be filled in or noted N/A) ARC CHECKBOXES **Brief Project Description Required Documents** Drawing showing location, elevation and installation details. Manufacturer's information regarding material, finish and color. Photo or manufacturer's picture of the handrail. The design and construction are compatible with the architectural character of the home and the community. Handrails must be metal or wrought iron. Colors may be black, bronze, dark green (Sherwin Williams # SW2929 or # SW6181) or another ARC approved color that is compatible with the home's main body color. Base plates shall be painted to blend with the paving color. Handrails may be installed on one (1) side of exterior steps or driveway. Handrails shall be a minimum of thirty four inches (34") and a maximum of thirty eight inches (38") above the paving or finished grade. Handrails must terminate a minimum of one foot (1'-0") from the back of the street sidewalk and end at the top of the steps.

The timeline for completion of work is within 90 calendar days from the start of work and must be completed

before the one-year approved application period expires.

This checklist must be completed and signed by the Owner along with the Architecural Review Committee, (ARC) Application Form

Homeowner	<u>Use</u>	
Planned Complet	ion Date:	
Name:		
Address:		
Signature:		
	Use Only PPROVED ICOMPLETE ISAPPROVED Date:	-